


Glide plug

IC-IF1

Round foot plug with flanges and thicker foot surface suitable for furniture and shop fittings. Fits several tube dimensions and is suitable for deeper holes where sharp edges and shape variations may occur. Available in several colours.

Note: *Not suitable for holes in sheet metal etc.*



Art. no	A	B	D1	D2	M1
IF10294-98S	102	94-98	5	20	■ PE-LD
IF10294-98V	102	94-98	5	20	⬠ PE-LD
IF107-8.4G	10	7-8.4	3.5	11.5	◗ PE-LD
IF107-8.4S	10	7-8.4	3.5	11.5	▲ PE-LD
IF110101-106S	110	101-106	6	28	▲ PE-LD
IF114103-108S	114	103-108	6	28	▲ PE-LD
IF120112-116S	120	112-116	5.5	28	■ PE-LD
IF128-10G	12	8-10	4	10	◗ PE-LD
IF128-10S	12	8-10	4	10	■ PE-LD
IF130118-126S	130	118-126	6	34	■ PE-LD
IF133121-129S	133	121-129	6	34	▲ PE-LD
IF139-11G	13	9-11	4	10	◗ PE-LD
IF139-11S	13	9-11	4	10	■ PE-LD
IF139-11V	13	9-11	4	10	⬠ PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IF140127-136S	140	127-136	6	34	PE-LD
IF1410-12G	14	10-12	4	9.5	PE-LD
IF1410-12S	14	10-12	4	9.5	PE-LD
IF150136-146S	150	136-146	6	34	PE-LD
IF1511-13S	15	11-13	4	9.5	PE-LD
IF160146-155S	160	146-155	6	34	PE-LD
IF1612-13S	16	12-13	5	10	PE-LD
IF1612-13V	16	12-13	5	10	PE-LD
IF1612.5-14G	16	12.5-14	5	14	PE-LLD
IF1612.5-14S	16	12.5-14	5	14	PE-LLD
IF1612.5-14V	16	12.5-14	5	14	PE-LLD
IF1814-16S	18	14-16	4	12	PE-LD
IF1814-16V	18	14-16	4	12	PE-LD
IF1915-17G	19	15-17	5	16	PE-LLD
IF1915-17S	19	15-17	5	16	PE-LLD
IF1915-17V	19	15-17	5	16	PE-LLD
IF2016-18S	20	16-18	4	12	PE-LD
IF2016-18V	20	16-18	4	12	PE-LD
IF2117-19.4G	21	17-19.4	5	11.5	PE-LD
IF2117-19.4S	21	17-19.4	5	11.5	PE-LD
IF2218-20G	22	18-20	5	16	PE-LLD
IF2218-20S	22	18-20	5	16	PE-LLD
IF2218-20V	22	18-20	5	16	PE-LLD
IF2519S	25	19-20	5.4	12	PE-LD
IF2521-23G	25	21-23	5	16	PE-LLD
IF2521-23S	25	21-23	5	16	PE-LLD
IF2521-23V	25	21-23	5	16	PE-LLD
IF2723-25S	27	23-25	5	17	PE-LD
IF2824-26G	28	24-26	5	17	PE-LLD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IF2824-26S	28	24-26	5	17	PE-LLD
IF2824-26V	28	24-26	5	17	PE-LLD
IF3024-26G	30	24-26	5	17	PE-LLD
IF3024-26S	30	24-26	5	17	PE-LLD
IF3024-26V	30	24-26	5	17	PE-LLD
IF3026-28G	30	26-28	5	17	PE-LLD
IF3026-28S	30	26-28	5	17	PE-LLD
IF3026-28V	30	26-28	5	17	PE-LLD
IF3228-30G	32	28-30	5	18	PE-LLD
IF3228-30S	32	28-30	5	18	PE-LLD
IF3228-30V	32	28-30	5	18	PE-LLD
IF3528-30G	35	28-30	5	18	PE-LLD
IF3528-30S	35	28-30	5	18	PE-LLD
IF3528-30V	35	28-30	5	18	PE-LLD
IF3531-33G	35	31-33	5	18	PE-LLD
IF3531-33S	35	31-33	5	18	PE-LLD
IF3531-33V	35	31-33	5	18	PE-LLD
IF3632-34S	36	32-34	5	14	PE-LD
IF3834-35G	38	34-35	6	18	PE-LLD
IF3834-35S	38	34-35	6	18	PE-LLD
IF3834-35V	38	34-35	6	18	PE-LLD
IF4036-38G	40	36-38	5	11.5	PE-LD
IF4036-38S	40	36-38	5	11.5	PE-LD
IF4036-38V	40	36-38	5	11.5	PE-LD
IF4238-40G	42	38-40	5	11.5	PE-LD
IF4238-40S	42	38-40	5	11.5	PE-LD
IF4238-40V	42	38-40	5	11.5	PE-LD
IF4541-43G	45	41-43	5	15	PE-LD
IF4541-43S	45	41-43	5	15	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IF4541-43V	45	41-43	5	15	PE-LD
IF4840-42G	48	40-42	5	18	PE-LD
IF4840-42S	48	40-42	5	18	PE-LD
IF4840-42V	48	40-42	5	18	PE-LD
IF4843-45G	48	43-45	5	18	PE-LD
IF4843-45S	48	43-45	5	18	PE-LD
IF5043-45G	50	43-45	5	17.5	PE-LD
IF5043-45S	50	43-45	5	17.5	PE-LD
IF5043-45V	50	43-45	5	17.5	PE-LD
IF5045-47G	50	45-47	5	16	PE-LD
IF5045-47S	50	45-47	5	16	PE-LD
IF5045-47V	50	45-47	5	16	PE-LD
IF5144-47S	51	44-47	5	15	PE-LD
IF5551-53G	55	51-53	4.5	14	PE-LD
IF5551-53S	55	51-53	4.5	14	PE-LD
IF5551-53V	55	51-53	4.5	14	PE-LD
IF6052-54G	60	52-54	5.5	21	PE-LD
IF6052-54S	60	52-54	5.5	21	PE-LD
IF6052-54V	60	52-54	5.5	21	PE-LD
IF6055-57G	60	55-57	5.5	21	PE-LD
IF6055-57S	60	55-57	5.5	21	PE-LD
IF6558-62S	65	58-62	5	21	PE-LD
IF6558-62V	65	58-62	5	21	PE-LD
IF7061-66G	70	61-66	5.5	21	PE-LD
IF7061-66S	70	61-66	5.5	21	PE-LD
IF7668-70S	76	68-70	5	22	PE-LD
IF7668-70V	76	68-70	5	22	PE-LD
IF7671-73S	76	71-73	5	21.5	PE-LD
IF8076-77G	80	76-77	4	17.5	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IF8076-77S	80	76-77	4	17.5	PE-LD
IF9080-85G	90	80-85	5	20	PE-LD
IF9080-85S	90	80-85	5	20	PE-LD
IF9080-85V	90	80-85	5	20	PE-LD
IF9587-92S	95	87-92	6	21	PE-LD
IFK1915-16G	19	15-16	5	11	PE-LLD
IFK1915-16S	19	15-16	5	11	PE-LLD
IFK1915-16V	19	15-16	5	11	PE-LLD
IFK1916.5-17G	19	16.5-17	5	11	PE-LLD
IFK1916.5-17S	19	16.5-17	5	11	PE-LLD
IFK1916.5-17V	19	16.5-17	5	11	PE-LLD
IFK2218-20G	22	18-20	5	11	PE-LLD
IFK2218-20S	22	18-20	5	11	PE-LLD
IFK2218-20V	22	18-20	5	11	PE-LLD
IFK2521-23G	25	21-22	5	11	PE-LLD
IFK2521-23S	25	21-22	5	11	PE-LLD
IFK2521-23V	25	21-22	5	11	PE-LLD
IFK3227-30.4S	32	27-30.4	5	11	PE-LD
IFK3228-30S	32	28-30	5	14	PE-LD
IFK3531-32G	35	31-32	5	11	PE-LLD
IFK3531-32S	35	31-32	5	11	PE-LLD
IFK3531-32V	35	31-32	5	11	PE-LLD
IFK3834-36S	38	34-36	5	12	PE-LD
IFK3834-36V	38	34-36	5	12	PE-LD

Black RAL 9005 *White RAL 9010* *Gray RAL 7042* *Black* *Gray RAL 7001*
Gray NCS:S 3502-B *Black RAL 9017* *WHITE RAL 9016* *White*

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com