


Glide plug without flanges

IC-IF2

Foot plug with thicker foot surface and without flanges. Suitable for furniture and shop fittings. Available in several colours and sizes.

Note: *Less suitable for holes where sharp edges and shape variations may occur.*



Art. no	A	B	D1	D2	M1
IF1410G	14	10	6	12	PE-LLD
IF1410S	14	10	6	12	PE-LLD
IF1410V	14	10	6	12	PE-LLD
IF1612G	16	12	5	13	PE-LLD
IF1612S	16	12	5	13	PE-LLD
IF1612V	16	12	5	13	PE-LLD
IF5545G	55	45	7	15	PE-LLD
IF5545S	55	45	7	15	PE-LLD
IF5545V	55	45	7	15	PE-LLD
IF5550G	55	50	7	15	PE-LLD
IF5550S	55	50	7	15	PE-LLD
IF5550V	55	50	7	15	PE-LLD
IFK2219G	22	19	5	9	PE-LLD
IFK2219S	22	19	5	9	PE-LLD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IFK2219V	22	19	5	9	PE-LLD
IFK2220G	22	20	5	9	PE-LLD
IFK2220S	22	20	5	9	PE-LLD
IFK2521G	25	21	5	9	PE-LLD
IFK2521S	25	21	5	9	PE-LLD
IFK2521V	25	21	5	9	PE-LLD
IFK2522G	25	22	5	9	PE-LLD
IFK2522S	25	22	5	9	PE-LLD
IFK2522V	25	22	5	9	PE-LLD
IFK2523G	25	23	5	9	PE-LLD
IFK2523S	25	23	5	9	PE-LLD
IFK2523V	25	23	5	9	PE-LLD
IFK2824G	28	24	5	11	PE-LLD
IFK2824S	28	24	5	11	PE-LLD
IFK2824V	28	24	5	11	PE-LLD
IFK2825G	28	25	5	11	PE-LLD
IFK2825S	28	25	5	11	PE-LLD
IFK2825V	28	25	5	11	PE-LLD
IFK2826G	28	26	5	11	PE-LLD
IFK2826S	28	26	5	11	PE-LLD
IFK2826V	28	26	5	11	PE-LLD
IFK322828.5G	32	28	5	11	PE-LLD
IFK322828.5S	32	28	5	11	PE-LLD
IFK322828.5V	32	28	5	11	PE-LLD
IFK3229G	32	29	5	11	PE-LLD
IFK3229S	32	29	5	11	PE-LLD
IFK3229V	32	29	5	11	PE-LLD
IFK3230G	32	30	5	11	PE-LLD
IFK3230S	32	30	5	11	PE-LLD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A	B	D1	D2	M1
IFK3230V	32	30	5	11	PE-LLD

Gray NCS:S 3502-B *Black RAL 9017* *WHITE RAL 9016*

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com