


Glide plug / End plug for rectangular profile

IR-1

Rectangular foot and end plug with flanges that is suitable for furniture and shop fittings. Fits several pipe dimensions and is suitable for deeper holes where sharp edges and shape variations may occur. Available in several colours.

Note: *Not suitable for holes in sheet metal etc.*



Art. no	A1	A2	B1	B2	D1	D2	M1
IR10012035-6G	120	100	108-113	88-93	6	24	PE-LD
IR10012035-6S	120	100	108-113	88-93	6	24	PE-LD
IR1001503-55G	150	100	139-144	89-94	7	27.5	PE-LD
IR10201-2G	20	10	16-18	6-8	5	11.5	PE-LD
IR10201-2S	20	10	16-18	6-8	5	11.5	PE-LD
IR10201-2V	20	10	16-18	6-8	5	11.5	PE-LD
IR10251-2S	25	10	21-23	6-8	5	11.5	PE-LD
IR10301-2G	30	10	26-28	6-8	4	12	PE-LD
IR10301-2S	30	10	26-28	6-8	4	12	PE-LLD
IR10301-2V	30	10	26-28	6-8	4	12	PE-LLD
IR10351-2G	35	10	31-33.4	6-8.4	3	11.5	PE-LD
IR10351-2S	35	10	31-33.4	6-8.4	3	11.5	PE-LD
IR10351-2V	35	10	31-33.4	6-8.4	3	11.5	PE-LD
IR10401-2G	40	10	36-38	6-8	4.5	11.5	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR10401-2S	40	10	36-38	6-8	4.5	11.5	PE-LD
IR15201-2G	20	15	16-18	11-13	5	14	PE-LLD
IR15201-2S	20	15	16-18	11-13	5	11.5	PE-LLD
IR15251-2G	25	15	21-23	11-13	5	12	PE-LLD
IR15251-2S	25	15	21-23	11-13	5	12	PE-LLD
IR15251-2V	25	15	21-23	11-13	5	12	PE-LLD
IR15301-2G	30	15	26-28	11-13	5	14	PE-LLD
IR15301-2S	30	15	26-28	11-13	5	14	PE-LLD
IR15301-2V	30	15	26-28	11-13	5	14	PE-LLD
IR15351-2G	35	15	31-33	11-13	5	16	PE-LLD
IR15351-2S	35	15	31-33	11-13	5	16	PE-LLD
IR15351-2V	35	15	31-33	11-13	5	16	PE-LLD
IR15401-2G	40	15	36-38	11-13	5	11.5	PE-LD
IR15401-2S	40	15	36-38	11-13	5	11.5	PE-LD
IR15451-2G	45	15	41-43	11-13	5	11	PE-LD
IR15451-2S	45	15	41-43	11-13	5	11	PE-LD
IR15451-2V	45	15	41-43	11-13	5	11	PE-LD
IR15501-2G	50	15	46-48	11-13	4.5	14	PE-LD
IR15501-2S	50	15	46-48	11-13	4.5	14	PE-LD
IR20251-2G	25	20	21-23	16-18	5	11.5	PE-LD
IR20251-2S	25	20	21-23	16-18	5	14.5	PE-LD
IR20251-2V	25	20	21-23	16-18	5	11.5	PE-LD
IR20301.5-2G	30	20	26-27	16-17	5	13.5	PE-LD
IR20301.5-2S	30	20	26-27	16-17	5	13.5	PE-LD
IR20301.5-2V	30	20	26-27	16-17	5	13.5	PE-LD
IR20351-2G	35	20	31-33	16-18	5	14	PE-LD
IR20351-2S	35	20	31-33	16-18	5	14	PE-LD
IR20351-2V	35	20	31-33	16-18	5	14	PE-LD
IR20403S	40	20	34	14	5	13	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR20451-2G	45	20	41-43	16-18	5	11.5	PE-LD
IR20451-2S	45	20	41-43	16-18	5	11.5	PE-LD
IR20501-2G	50	20	46-48	16-18	5	16.5	PE-LLD
IR20501-2S	50	20	46-48	16-18	5	16.5	PE-LLD
IR20501-2V	50	20	46-48	16-18	5	16.5	PE-LLD
IR20601.5-2G	60	20	56-57	16-17	5	16.5	PE-LLD
IR20601.5-2S	60	20	56-57	16-17	5	16.5	PE-LLD
IR20601.5-2V	60	20	56-58	16-17	5	14	PE-LLD
IR20701-2G	70	20	66-68	16-18	5	19.5	PE-LD
IR20701-2S	70	20	66-68	16-18	5	19.5	PE-LD
IR20801-2G	80	20	76-78	16-18	5	18	PE-LD
IR20801-2S	80	20	76-78	16-18	5	18	PE-LD
IR20801-2V	80	20	76-78	16-18	5	18	PE-LD
IR251001.5-3G	100	25	94-97	19-22	4.5	14.5	PE-LD
IR251001.5-3S	100	25	94-97	19-22	4.5	14.5	PE-LD
IR251001.5-3V	100	25	94-97	19-22	4.5	14.5	PE-LD
IR25301-2G	30	25	26-28	21-23	5	13.5	PE-LD
IR25301-2S	30	25	26-28	21-23	5	13.5	PE-LD
IR25301-2V	30	25	26-28	21-23	5	11.5	PE-LD
IR25351-2G	35	25	31-33	21-23	4.5	14.5	PE-LD
IR25351-2S	35	25	31-33	21-23	4.5	14.5	PE-LD
IR25351-2V	35	25	31-33	21-23	4.5	14.5	PE-LD
IR25401.5-2G	40	25	36-37	21-22	5	11	PE-LD
IR25401.5-2S	40	25	36-37	21-22	5	11	PE-LD
IR25451-2G	45	25	41-43	21-23	5	12.5	PE-LD
IR25451-2S	45	25	41-43	21-23	5	12.5	PE-LD
IR25451-2V	45	25	41-43	21-23	5	12.5	PE-LD
IR25501-2G	50	25	46-48	21-23	5	12.5	PE-LD
IR25501-2S	50	25	46-48	21-23	5	12.5	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR25501-2V	50	25	46-48	21-23	5	12.5	PE-LD
IR25503-4.5G	50	25	41-44	16-19	5	14	PE-LD
IR25503-4.5S	50	25	41-44	16-19	5	14	PE-LD
IR25503-4.5V	50	25	41-44	16-19	5	14	PE-LD
IR25601-2.5G	60	25	55-58	20-23	5	14	PE-LD
IR25601-2.5S	60	25	55-58	20-23	5	14.5	PE-LD
IR25801.5-3S	80	25	74-77	19-22	5	18	PE-LD
IR301201-2G	120	30	116-118	26-28	5	14.5	PE-LD
IR301201-2S	120	30	116-118	26-28	5	14.5	PE-LD
IR301201-2V	120	30	116-118	26-28	5	14.5	PE-LD
IR301501.5-3S	150	30	144-147	24-27	6	21.5	PE-LD
IR301501.5-3V	150	30	144-147	24-27	6	21.5	PE-LD
IR30351-2S	35	30	31-33	26-28	5	14.5	PE-LD
IR30401-2G	40	30	36-38	26-28	5	11.5	PE-LD
IR30401-2S	40	30	36-38	26-28	5	14	PE-LD
IR30401-2V	40	30	36-38	26-28	5	11.5	PE-LD
IR30451-2S	45	30	41-43	26-28	5	11.5	PE-LD
IR30501-2G	50	30	46-48	26-28	5	13	PE-LD
IR30501-2S	50	30	46-48	26-28	5	13	PE-LD
IR30801-2S	80	30	76-78	26-28	5	18	PE-LD
IR35401-3G	40	35	34-38	29-33	5	11.5	PE-LD
IR35401-3S	40	35	34-38	29-33	5	11.5	PE-LD
IR35451-3.5G	45	35	39-43	29-33	5	11.5	PE-LD
IR35451-3.5S	45	35	39-43	29-33	5	11.5	PE-LD
IR35451-3.5V	45	35	39-43	29-33	5	11.5	PE-LD
IR35501-3.5G	50	35	43-48	29-33	5	14.5	PE-LD
IR35501-3.5S	50	35	43-48	29-33	5	14.5	PE-LD
IR35501-3.5V	50	35	43-48	29-33	5	14.5	PE-LD
IR35551-2S	55	35	47-52	31-33	5	14.5	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR356015-35G	60	35	53-57	30-32	5	14	PE-LD
IR356015-35S	60	35	53-57	30-32	5	14	PE-LD
IR356015-35V	60	35	53-57	30-32	5	14	PE-LD
IR357015-35G	70	35	63-67	28-32	5	14	PE-LD
IR357015-35S	70	35	63-67	28-32	5	14	PE-LD
IR401001.5-2S	100	40	96-97	36-37	5	18.5	PE-LD
IR401003-4S	100	40	92-94	32-34	5	18	PE-LD
IR401203G	120	40	110-114	30-34	6	17	PE-LD
IR401203S	120	40	110-114	30-34	6	17	PE-LD
IR401203V	120	40	110-114	30-34	6	17	PE-LD
IR40501-2G	50	40	46-48	36-38	5.5	12	PE-LD
IR40501-2S	50	40	46-48	36-38	5.5	12	PE-LD
IR40501-2V	50	40	46-48	31-38	5.5	13	PE-LD
IR40551.5-4S	55	40	52-47	32-36	5	16.5	PE-LD
IR40601-2G	60	40	56-58	36-38	5	14	PE-LD
IR40601-2S	60	40	56-58	36-38	5	14	PE-LD
IR40601-2V	60	40	56-58	36-38	5	14	PE-LD
IR40601.5-3G	60	40	54-57	34-37	5	16.5	PE-LLD
IR40601.5-3S	60	40	54-57	34-37	5	16.5	PE-LLD
IR40601.5-3V	60	40	54-57	34-37	5	16.5	PE-LLD
IR40603-5V	60	40	50-54	30-34	5	14	PE-LD
IR40604-5G	60	40	50-52	30-32	5	14	PE-LD
IR40604-5S	60	40	50-52	30-32	5	14	PE-LD
IR40701-2G	70	40	66-68	36-38	5.5	18	PE-LD
IR40701-2S	70	40	60-68	36-38	5	14.5	PE-LD
IR40701-2V	70	40	66-68	36-38	5.5	18	PE-LD
IR40704S	70	40	62	32	6	18	PE-LD
IR40704V	70	40	62	32	6	18	PE-LD
IR40801.5-3G	80	40	74-77	34-37	5	17	PE-LLD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR40801.5-3S	80	40	74-77	34-37	5	17	PE-LLD
IR40801.5-3V	80	40	74-77	34-37	5	24	PE-LLD
IR40804G	80	40	72	32	5	19.5	PE-LD
IR40804S	80	40	72	34	5	17	PE-LD
IR40804V	80	40	72	34	5	19.5	PE-LD
IR45601.5-4S	60	45	52-57	37-42	5	14.5	PE-LD
IR501002-3G	100	50	94-96	44-46	5	17.5	PE-LD
IR501002-3S	100	50	94-96	44-46	5	17.5	PE-LD
IR501002-3V	100	50	94-96	44-46	6	17.5	PE-LD
IR501003.2-6G	100	50	88-93.6	38-43.6	6.5	23.5	PE-LD
IR501003.2-6S	100	50	88-93.6	38-43.6	6.5	23.5	PE-LD
IR501003.2-6V	100	50	88-93.6	38-43.6	6.5	23.5	PE-LD
IR501203-5.5G	120	50	109-114	39-44	6	21.5	PE-LD
IR501203-5.5S	120	50	109-114	39-44	6	21.5	PE-LD
IR501203-5.5V	120	50	109-114	50-44	5	21.5	PE-LD
IR501502-4G	150	50	142-146	42-46	6	28	PE-LD
IR501502-4S	150	50	142-146	42-46	6	28	PE-LD
IR501504-7G	150	50	136-142	36-42	6	21.5	PE-LD
IR501504-7S	150	50	136-142	36-42	6	21.5	PE-LD
IR501504-7V	150	50	136-142	36-42	6	28	PE-LD
IR5016025-55S	160	50	149-155	39-45	6	21.5	PE-LD
IR506015-35G	60	50	53-57	43-47	5	14.5	PE-LD
IR506015-35S	60	50	53-57	43-47	5	14.5	PE-LD
IR506015-35V	60	50	53-57	43-47	5	14.5	PE-LD
IR50702-5G	70	50	60-66	40-46	5	14.5	PE-LD
IR50702-5S	70	50	76-78	16-18	5	18	PE-LD
IR50702-5V	70	50	60-66	40-46	5	14.5	PE-LD
IR50802-4G	80	50	72-76	42-46	5	24	PE-LD
IR50802-4S	80	50	72-76	42-46	5	24	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR50902-4.5S	90	50	81-86	31-46	6	21.5	PE-LD
IR6010025-45G	100	60	91-95	51-55	6	25	PE-LD
IR6010025-45S	100	60	91-95	51-55	6	25	PE-LD
IR6010025-45V	100	60	91-95	51-55	6	25	PE-LD
IR6011035-55G	110	60	99-103	49-53	6	24.5	PE-LD
IR6011035-55S	110	60	99-103	49-53	6	24.5	PE-LD
IR6011035-55V	110	60	99-103	49-53	6	24.5	PE-LD
IR601202-3G	120	60	114-116	54-56	5	24	PE-LD
IR601202-3S	120	60	114-116	54-56	5	24	PE-LD
IR601202-3V	120	60	114-116	54-56	6.5	24	PE-LD
IR601204G	120	60	112	52	5	18	PE-LD
IR601204S	120	60	112	52	5	18	PE-LD
IR601204V	120	60	112	52	5	18	PE-LD
IR601205G	120	60	110	50	5	17.5	PE-LD
IR601205S	120	60	110	50	5	17.5	PE-LD
IR6015025-55G	150	60	139-145	49-55	6	21.5	PE-LD
IR6015025-55S	150	60	139-145	49-55	6	21.5	PE-LD
IR6015025-55V	150	60	139-145	49-55	6	21.5	PE-LD
IR601602.5-5S	160	60	150-155	50-55	6	21.5	PE-LD
IR601602.5-5V	160	60	150-155	50-55	6	21.5	PE-LD
IR60802.5-3G	80	60	74-75	54-55	5	24	PE-LD
IR60802.5-3S	80	60	74-75	54-55	5	24	PE-LD
IR60802.5-3V	80	60	74-75	54-55	6	21.5	PE-LD
IR60804-6G	80	60	68-72	48-52	5	24	PE-LD
IR60804-6S	80	60	68-72	48-52	5	24	PE-LD
IR60804-6V	80	60	68-72	50-52	5	18.5	PE-LD
IR60805S	80	60	70	50	5	18.5	PE-LD
IR701103-5S	110	70	100-104	60-64	6	24.5	PE-LD
IR701103-5V	110	70	100-104	60-64	5	24.5	PE-LD

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com

Art. no	A1	A2	B1	B2	D1	D2	M1
IR70903-5.5S	90	70	79-84	59-64	4.5	21.5	PE-LD
IR7515025-55S	150	75	139-145	64-70	6	21.5	PE-LD
IR7515025-55V	150	75	139-145	64-70	7	21.5	PE-LD
IR801003-5.5G	100	80	89-94	69-74	6	24.5	PE-LD
IR801003-5.5S	100	80	89-94	69-74	6	24.5	PE-LD
IR801202-3S	120	80	114-116	74-76	6	24.5	PE-LD
IR801205-8S	120	80	114-116	74-76	5	24.5	PE-LD
IR801404S	150	80	132	24	6	19.5	PE-LD
IR801603-5.5G	160	80	149-154	69-74	6	24.5	PE-LD
IR801603-5.5S	160	80	149-154	69-74	6	24.5	PE-LD
IR801603-5.5V	160	80	149-154	69-74	3	24.5	PE-LD

Gray RAL 7001 *Black RAL 9005* *White RAL 9010* *Black RAL 9017* *Gray RAL 7042*
Gray NCS:S 3502-B *WHITE RAL 9016* *White RAL 9003*

Address Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

Phone +46 (0)472 26 93 00
E-mail info@ackurat.se
Web ackurat.com