


# Sled base chair glide with clip-on function and position pin

## SC-GK5

Chair glide for several tube sizes. Snaps on for easy installation and has a pin to prevent rotation. Easy to remove and replace. Available in transparent polycarbonate or black polypropylene.




| Art. no | A | B1 | B2 | C1 | C2 | D | M1 |
|---|---|---|---|---|---|---|---|
| GK1310N | 10-11 | 13 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1310S | 10-11 | 13 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1320N | 10-11 | 13 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1320S | 10-11 | 13 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1338N | 10-11 | 13 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1338S | 10-11 | 13 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1350N | 10-11 | 13 | 50 | 3.8 | 2.5 | 2 | PP |
| GK1350S | 10-11 | 13 | 50 | 3.8 | 2.5 | 2 | PP |
| GK1450N | 12-13 | 14 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1450S | 12-13 | 14 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1510N | 12-13 | 15 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1510S | 12-13 | 15 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1520N | 12-13 | 15 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1520S | 12-13 | 15 | 20 | 3.8 | 2.5 | 2.5 | PP |



**Address** Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

**Phone** +46 (0)472 26 93 00
**E-mail** info@ackurat.se
**Web** ackurat.com

| Art. no | A | B1 | B2 | C1 | C2 | D | M1 |
|---|---|---|---|---|---|---|---|
| GK1538N | 12-13 | 15 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1538S | 12-13 | 15 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1610N | 14-15 | 16 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1610S | 14-15 | 16 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1620N | 14-15 | 16 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1620S | 14-15 | 16 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1638N | 14-15 | 16 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1638S | 14-15 | 16 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1650N | 13-14 | 16 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1650S | 13-14 | 16 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1710N | 15-16 | 17 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1710S | 15-16 | 17 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1720N | 15-16 | 17 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1720S | 15-16 | 17 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1738N | 15-16 | 17 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1738S | 15-16 | 17 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1850N | 15-16 | 18 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1850S | 15-16 | 18 | 50 | 4.5 | 2.5 | 2.5 | PP |
| GK1910N | 17-18 | 19 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1910S | 17-18 | 19 | 10 | 3.8 | 2.5 | 2.5 | PP |
| GK1920N | 17-18 | 19 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1920S | 17-18 | 19 | 20 | 3.8 | 2.5 | 2.5 | PP |
| GK1938N | 17-18 | 19 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK1938S | 17-18 | 19 | 38 | 3.8 | 2.5 | 2.5 | PP |
| GK511-1211T | 11-12 | 14 | 11 | 4 | 2 | 2 | PC |
| GK511-1221T | 11-12 | 14 | 21 | 4 | 2 | 2 | PC |
| GK511-1239T | 11-12 | 14 | 39 | 4 | 2 | 2 | PC |
| GK511-1251T | 11-12 | 14 | 51 | 4 | 2 | 2 | PC |
| GK512-1311T | 12-13 | 16 | 11 | 4.7 | 3 | 3 | PC |



**Address** Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

**Phone** +46 (0)472 26 93 00
**E-mail** info@ackurat.se
**Web** ackurat.com

| Art. no | A | B1 | B2 | C1 | C2 | D | M1 |
|---|---|---|---|---|---|---|---|
| GK512-1321T | 12-13 | 16 | 21 | 4.7 | 3 | 3 | ⊘ PC |
| GK512-1339T | 12-13 | 16 | 39 | 4.7 | 3 | 3 | ⊘ PC |
| GK512-1351T | 12-13 | 15 | 51 | 4.7 | 3 | 3 | ⊘ PC |
| GK514-1551T | 14-15 | 17 | 51 | 4.9 | 3.5 | 2.5 | ⊘ PC |
| GK515-1611T | 15-16 | 17 | 11 | 4.9 | 3.5 | 2.5 | ⊘ PC |
| GK515-1621T | 15-16 | 17 | 21 | 4.9 | 3.5 | 2.5 | ⊘ PC |
| GK515-1639T | 15-16 | 17 | 39 | 4.9 | 3.5 | 2.5 | ⊘ PC |
| GK516-1711T | 16-17 | 18 | 11 | 5 | 3 | 2.5 | ⊘ PC |
| GK516-1721T | 16-17 | 18 | 21 | 5 | 3 | 2.5 | ⊘ PC |
| GK516-1739T | 16-17 | 18 | 39 | 5 | 3 | 2.5 | ⊘ PC |
| GK516-1751T | 16-17 | 19 | 51 | 5 | 3 | 2.5 | ⊘ PC |
| GK518-1911T | 18-19 | 20 | 11 | 4 | 2 | 2.5 | ⊘ PC |
| GK518-1921T | 18-19 | 20 | 21 | 4 | 2 | 2.5 | ⊘ PC |
| GK518-1939T | 18-19 | 20 | 39 | 4 | 2 | 2.5 | ⊘ PC |
| GK59-1010T | 9-10 | 13 | 10 | 4 | 1.5 | 2 | ⊘ PC |
| GK59-1020T | 9-10 | 13 | 20 | 4 | 1.5 | 2 | ⊘ PC |
| GK59-1038T | 9-10 | 13 | 38 | 4 | 1.5 | 2 | ⊘ PC |
| GK59-1050T | 9-10 | 13 | 50 | 4 | 1.5 | 2 | ⊘ PC |

○ *Natural (undyed)* ⬟ *Black RAL 9017* ⊘ *Transparent*



**Address** Ackurat Industriplast AB
Värnamovägen 42
360 30 Lammhult
Sweden

**Phone** +46 (0)472 26 93 00
**E-mail** info@ackurat.se
**Web** ackurat.com